

mm

Notice of Allowability	Application No.	Applicant(s)	
	10/645,405	POLLAK ET AL.	
	Examiner	Art Unit	
	Tuan V. Nguyen	3731	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--
All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

- 1. ☒ This communication is responsive to July 5, 2007.
- 2. ☒ The allowed claim(s) is/are 1 and 4-9 now renumbered as 1-7.
- 3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 - 1. ☐ Certified copies of the priority documents have been received.
 - 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 - 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

- 4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
- 5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
- 6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

- Attachment(s)**
- | | |
|--|--|
| 1. <input type="checkbox"/> Notice of References Cited (PTO-892) | 5. <input type="checkbox"/> Notice of Informal Patent Application |
| 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 6. <input type="checkbox"/> Interview Summary (PTO-413),
Paper No./Mail Date _____. |
| 3. <input type="checkbox"/> Information Disclosure Statements (PTO/SB/08),
Paper No./Mail Date _____ | 7. <input checked="" type="checkbox"/> Examiner's Amendment/Comment |
| 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit
of Biological Material | 8. <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance |
| | 9. <input type="checkbox"/> Other _____. |

Examiner Amendment

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee. Authorization for this examiner's amendment was given in a telephone interview with Mr. Thomas M. Galgano (Reg. No. 27,638) on July 17, 2007.
2. Amend to Claim 7, line 1: "An apparatus according to claim [2] 1, wherein:"

Reasons For Allowance

3. Claims 1 and 4-9 are allowable over prior art of record.
4. Paragraph below is the statement of reasons for allowance:

The prior art of record does not appear to disclose or suggest a motivation to combine an apparatus for applying a suture to a wound comprising:

a central shaft having a proximal end and a distal end;

an obturator coupled to the distal end of the shaft;

a pair of hollow needles slidably coupled to the shaft, each of said needles having a sharp end and being movable from a first position where the sharp ends are distant from the obturator to a second position where the sharp ends are closes to the obturator;

Art Unit: 3731

a suture control mechanism coupled to one of the needles for delivery
suture material through the sharp end of the needles;

a snare control mechanism coupled to the other of the needles for
delivering a snare through the sharp end of the needle;

especially,

a skin pressure plate mounted on the shaft and movable relative to the
obturator;

a needle mounting plate mounted to the shaft;

and the skin pressure plate having a threaded split collar coaxially
disposed on the shaft and a rotatable locking nut, wherein the rotatable locking
nut is threadably received on the split collar of the skin pressure plate and, upon
tightening, locks the skin pressure plate to the shaft.

Conclusion

Any inquiry concerning this communication or earlier communications from the
examiner should be directed to Tuan V. Nguyen whose telephone number is 571-272-
5962. The examiner can normally be reached on M-F: 9:00 AM - 5:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's
supervisor, Anh Tuan Nguyen can be reached on 571-272-4963. The fax phone number
for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3731

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Tuan V. Nguyen
July 17, 2007


ANHTUAN T. NGUYEN
SUPERVISORY PATENT EXAMINER

7/20/07.